Request Form

Laboratory Testing for Horses: Exportation, Infectious Diseases, Breeding Hygiene

Receipt stamp (Labor Dr. Böse)

Horse

Name:
Life Number (UELN):
Chip Number:
Date of Birth:
Sex:
Colour:

Sample

Date of sampling:	
Time of sampling:	
Type of specimen:	
□ Serum	Swab:
□ Whole blood	Native material:
🗆 EDTA blood/plasma	Biopsy:
□ Citrated blood/plasma	Cytology smear:
\Box Sodium fluoride blood	□ Others:
\Box Blood smear	
□ Blood culture flask	

Report

Original report to:	
Copy report to:	

Equipment for sampling and shipment (free of charge)

Request forms
Mailing envelopes
Cool box
☐ Mailing containers (for blood tubes)
Mailing containers (for slides)
Swabs, Amies transport medium with

Swabs, Amies tr	ransport	medium	with	charc
-----------------	----------	--------	------	-------

Swabs, without transport medium "dry" (SD)

Swabs, transport medium for anaerobes (SA)

Cytobrushes (Cy) Blood culture media for aerobes (BC a) Blood culture media for anaerobes (BC ana) Serum tubes (S) EDTA tubes (EB) coal (SC) Sodium fluoride tubes (SF) Citrate tubes 1:10 (CP 1:10)



Labor Dr. Böse GmbH

Carl-Zeiss-Straße 6 Germany - 31177 Harsum Tel +49 - (0) 51 27 - 90 20 5 - 0 Fax +49 - (0) 51 27 - 90 20 5 - 55

mail@equilab.de www.equilab.de

Sender

Customer Number (if available):			
Name:			
Street:			
Post code, residence:			
Country:			
Phone:			
Fax:			
eMail:			
Date, Signature:			
Owner			
Customer Number (if available):			
Name:			
Street:			
Post code, residence:			
Country:			
Phone:			
Fax:			
eMail:			
Invoice recipient New customer account (excl. surgeries and clinics) €	4,00 net		
Customer Number (if available):			
Name:			
Street:			
Post code, residence:			
Country:			
Phone:			
Fax:			
eMail:			
Credit card 🛛 Visa 🗆 Master/Euro	🗆 Amer	ican Exp. 🗌 Dine	ers
Credit card holder:			
Card Number		Exp. date	
Authorisation for further orders	□ Yes	No	
□ Direct debit (Germany only) Account	t holder		
Account Number	Bank co	de	
Authorisation for further orders	□ Yes	No	
Date, Signature:			

March 2009, General terms and conditions of purchase order see www.equilab.de

Export Testing

Permanent export to:
Temporary export to:
Competition:

Material | € net

Material | € net

CFT, IFAT S 90 IFAT (screening) S 40 Blood smears (Japan and others) EB 30 Equine Infectious Anemia, EIA Coggins-Test S 18 Coggins-Test S 18 Dourine S 18 Glanders S 18 Equine Viral Arteritis, EVA S 18 VNT S 22 VI and PCR from semen S 40	□ CFT, IFAT S 90 □ IFAT (screening) S 40 □ Blood smears (Japan and others) EB 30 Equine Infectious Anemia, EIA S 18 □ Coggins-Test S 18 □ ELISA S 22 Dourine S 18 □ CFT S 18 Glanders S 18 □ CFT S 18 Equine Viral Arteritis, EVA S 22	Piroplasmosis (Th. equi and B. caballi)		
□ IFAT (screening) S 40 □ Blood smears (Japan and others) EB 30 Equine Infectious Anemia, EIA S 18 □ Coggins-Test S 18 □ ELISA S 22 Dourine S 18 □ CFT S 18 Glanders S 18 □ CFT S 18 □ CFT S 18 □ CFT S 18 □ UIII S 18 □ VIIII S 18 □ VIIII S 18 □ VIIII S 18 □ VIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII	IFAT (screening) S 40 Blood smears (Japan and others) EB 30 Equine Infectious Anemia, EIA Coggins-Test S 18 ELISA S 22 Dourine CFT S 18 Glanders CFT S 18 Equine Viral Arteritis, EVA VNT S 22	C-ELISA, IFAT (e.g. USA)		100
Blood smears (Japan and others) EB Equine Infectious Anemia, EIA Coggins-Test ELISA CFT CFT S 18 Glanders CFT S 18 Equine Viral Arteritis, EVA VNT S VI and PCR from semen	□ Blood smears (Japan and others) EB 30 Equine Infectious Anemia, EIA □ Coggins-Test S 18 □ ELISA S 22 Dourine □ CFT S 18 Glanders □ CFT S 18 Equine Viral Arteritis, EVA □ VNT S 22		-	90
Equine Infectious Anemia, EIA Coggins-Test \$ 18 ELISA \$ 22 Dourine CFT \$ 18 Glanders \$ 18 CFT \$ 18 Glanders \$ 18 VNT \$ 22 VNT \$ 23 VI and PCR from semen \$ 22	Equine Infectious Anemia, EIA Coggins-Test \$ 18 ELISA \$ 22 Dourine CFT \$ 18 Glanders CFT \$ 18 Equine Viral Arteritis, EVA VNT \$ 22	□ IFAT (screening)	S	40
□ Coggins-Test S 18 □ ELISA S 22 Dourine S 22 □ CFT S 18 Glanders S 18 □ CFT S 18 Equine Viral Arteritis, EVA S 18 □ VNT S 22 □ VNT S 22 □ VI and PCR from semen Se 4°C 24h 55	□ Coggins-Test \$ 18 □ ELISA \$ 22 Dourine \$ 22 □ CFT \$ 18 Glanders \$ 18 □ CFT \$ 18 Glanders \$ 18 Equine Viral Arteritis, EVA \$ 22	Blood smears (Japan and others)	EB	30
□ ELISA S 22 Dourine S 18 □ CFT S 18 Glanders S 18 □ CFT S 18 Equine Viral Arteritis, EVA S 22 □ VNT S 22 □ VNT S 22 □ VI and PCR from semen Se 4°C 24h 55	□ ELISA s 22 Dourine s 18 □ CFT s 18 Glanders s 18 □ CFT s 18 Equine Viral Arteritis, EVA s 22	-		
Dourine □ CFT S 18 Glanders □ CFT S 18 Equine Viral Arteritis, EVA □ VNT S 22 □ VI and PCR from semen Se 4°C 24h 55	Dourine □ CFT S 18 Glanders □ CFT S 18 Equine Viral Arteritis, EVA □ VNT S 22			
□ CFT S 18 Glanders □ CFT S 18 Equine Viral Arteritis, EVA □ VNT S 22 □ VNT S 22 24 55	□ CFTS 18 Glanders □ CFTS 18 Equine Viral Arteritis, EVA □ VNTS 22		S	22
Glanders CFT S 18 Equine Viral Arteritis, EVA VNT S 22 VI and PCR from semen Se 4°C 24h 55	Glanders CFT S 18 Equine Viral Arteritis, EVA VNT S 22		S	18
Equine Viral Arteritis, EVA VNT \$	Equine Viral Arteritis, EVA			
□ VNT S 22 □ VI and PCR from semen Se 4°C 24h 55	□ VNT S 22		S	18
□ VNT S 22 □ VI and PCR from semen Se 4°C 24h 55	□ VNT S 22	Fauina Viral Artoritis FVA		
□ VI and PCR from semen Se 4°C 24h 55		- ,	5	22
Leptospirosis				
□ MAT	→ MATS 22		S	22
Salm. abortus equi (e.g. Japan, Korea)		• • • • • •		
SATS 22	• • • • • •		S	22
Salm. typhimurium (e.g. Taiwan)	• • • • • •			
Culture F25g 30	□ SATS 22			
	□ SAT S 22 Salm. typhimurium (e.g. Taiwan)	Salm. typhimurium (e.g. Taiwan)	F25g	30
Vasioular stomatitie	□ SAT S 22 Salm. typhimurium (e.g. Taiwan)	Salm. typhimurium (e.g. Taiwan)	• •	30
Vesicular stomatitis (Serotypes Indiana and New Jersey)	□ SAT S 22 Salm. typhimurium (e.g. Taiwan) □ Culture F25g 30 Vesicular stomatitis (Serotypes Indiana and New Jersey)	Salm. typhimurium (e.g. Taiwan) Culture Vesicular stomatitis (Serotypes Indiana and New Jerse	e . ey)	
	□ SAT S 22 Salm. typhimurium (e.g. Taiwan) □ Culture F25g 30 Vesicular stomatitis (Serotypes Indiana and New Jersey)	Salm. typhimurium (e.g. Taiwan) Culture Vesicular stomatitis (Serotypes Indiana and New Jerse	e . ey)	
□ VNT* S 70 Equine Herpes Virus Type 1, EHV 1	SAT S 22 Salm. typhimurium (e.g. Taiwan) Culture Culture F25g 30 Vesicular stomatitis (Serotypes Indiana and New Jersey) 30 VNT* S 70 Equine Herpes Virus Type 1, EHV 1	Salm. typhimurium (e.g. Taiwan) Culture Vesicular stomatitis (Serotypes Indiana and New Jerse VNT* Equine Herpes Virus Type 1, EHV 1	ey) S	
□ VNT*	SAT S 22 Salm. typhimurium (e.g. Taiwan) Culture F25g 30 Vesicular stomatitis (Serotypes Indiana and New Jersey) VNT* S 70 Equine Herpes Virus Type 1, EHV 1 S 22 VNT S 22	Salm. typhimurium (e.g. Taiwan) Culture Vesicular stomatitis (Serotypes Indiana and New Jerse VNT* Equine Herpes Virus Type 1, EHV 1 VNT	ey) S S	70
□ VNT* S 70 Equine Herpes Virus Type 1, EHV 1 □ VNT S 22	SAT S 22 Salm. typhimurium (e.g. Taiwan) Culture F25g 30 Vesicular stomatitis (Serotypes Indiana and New Jersey) VNT* S 70 Equine Herpes Virus Type 1, EHV 1 S 22 VNT S 22	Salm. typhimurium (e.g. Taiwan) Culture Vesicular stomatitis (Serotypes Indiana and New Jerse VNT* Equine Herpes Virus Type 1, EHV 1 VNT	ey) S S	70 22
□ VNT*	□ SAT S 22 Salm. typhimurium (e.g. Taiwan) □ Culture F25g 30 Vesicular stomatitis (Serotypes Indiana and New Jersey) □ VNT* S 70 Equine Herpes Virus Type 1, EHV 1 □ S 22 □ PCR SD 4°C 24h 25 Equine Herpes Virus Type 4, EHV 4 SD 4°C 24h 25	Salm. typhimurium (e.g. Taiwan) Culture Vesicular stomatitis (Serotypes Indiana and New Jerse) VNT* Equine Herpes Virus Type 1, EHV 1 VNT PCR SD Equine Herpes Virus Type 4, EHV 4	≥y) S S 4°C 24h	70 22
□ VNT*	□ SAT S 22 Salm. typhimurium (e.g. Taiwan) □ Culture □ Culture F25g 30 Vesicular stomatitis (Serotypes Indiana and New Jersey) □ VNT* □ VNT* S 70 Equine Herpes Virus Type 1, EHV 1 □ □ VNT S 22 □ PCR SD 4°C 24h 25 Equine Herpes Virus Type 4, EHV 4 □ □ VNT S 22	Salm. typhimurium (e.g. Taiwan) Culture Vesicular stomatitis (Serotypes Indiana and New Jerse) VNT* Equine Herpes Virus Type 1, EHV 1 VNT PCR SD Equine Herpes Virus Type 4, EHV 4	≥y) S S 4°C 24h S	70 22 25
□ MAT S 22	□ MATS 22	□ MAT	S	22
L MAT	⊔ MAT S 22		S	22
L MAI	_ MAI S 22		S	22
			S	22
		Leptospirosis		
	Leptospirosis	Leptospirosis		
	Leptospirosis	Leptospirosis		
	Leptospirosis	Leptospirosis		
	lantasnirasis		4°C 24h	55
Leptospirosis			4°C 24h	55
Leptospirosis				
Leptospirosis				
Leptospirosis				
	VI and PCR from semen Se 4°C 24h 55			
Leptospirosis				55
	lantasnirasis	Lantaspirasis		
			5	22
□ MAT S 22	□ MAT S 22		S	22
LI MIAI	_ IMIAI5 22			22
Salm abortus equi (a « Jaran Vara)		Salm abortus equi (a c laran Karan)		
Salm. abortus equi (e.g. Japan, Korea)		Salm. abortus equi (e.g. Japan, Korea)		
• • • • • • •	Solm obortus oqui (• • • • • •	S I	22
□ SAT S 22	• • • • • •		S	22
Salm typhimurium (• • • • • •			
	□ SATS 22			
Culture	□ SAT S 22 Salm. typhimurium (e.g. Taiwan)	Salm. typhimurium (e.g. Taiwan)		
	□ SAT S 22 Salm. typhimurium (e.g. Taiwan)	Salm. typhimurium (e.g. Taiwan)	F25g	30
Maniaulan atom attic	□ SAT S 22 Salm. typhimurium (e.g. Taiwan)	Salm. typhimurium (e.g. Taiwan)	• •	30
	□ SAT S 22 Salm. typhimurium (e.g. Taiwan) □ Culture F25g 30 Vesicular stomatitis (Serotypes Indiana and New Jersey)	Salm. typhimurium (e.g. Taiwan) Culture Vesicular stomatitis (Serotypes Indiana and New Jerse	e . ey)	30
	□ SAT S 22 Salm. typhimurium (e.g. Taiwan) □ Culture F25g 30 Vesicular stomatitis (Serotypes Indiana and New Jersey)	Salm. typhimurium (e.g. Taiwan) Culture Vesicular stomatitis (Serotypes Indiana and New Jerse	e . ey)	
□ VNT*	□ SAT S 22 Salm. typhimurium (e.g. Taiwan) □ Culture F25g 30 Vesicular stomatitis (Serotypes Indiana and New Jersey) □ VNT*	Salm. typhimurium (e.g. Taiwan) Culture Vesicular stomatitis (Serotypes Indiana and New Jerse VNT*	e . ey)	
□ VNT*	□ SAT S 22 Salm. typhimurium (e.g. Taiwan) □ Culture F25g 30 Vesicular stomatitis (Serotypes Indiana and New Jersey) □ VNT*	Salm. typhimurium (e.g. Taiwan) Culture Vesicular stomatitis (Serotypes Indiana and New Jerse VNT*	e . ey)	
□ VNT* S 70 Equine Herpes Virus Type 1, EHV 1	SAT S 22 Salm. typhimurium (e.g. Taiwan) Culture Culture F25g 30 Vesicular stomatitis (Serotypes Indiana and New Jersey) 30 VNT* S 70 Equine Herpes Virus Type 1, EHV 1	Salm. typhimurium (e.g. Taiwan) Culture Vesicular stomatitis (Serotypes Indiana and New Jerse VNT* Equine Herpes Virus Type 1, EHV 1	ey) S	70
□ VNT*	SAT S 22 Salm. typhimurium (e.g. Taiwan) Culture F25g 30 Vesicular stomatitis (Serotypes Indiana and New Jersey) VNT* S 70 Equine Herpes Virus Type 1, EHV 1 S 22 VNT S 22	Salm. typhimurium (e.g. Taiwan) Culture Vesicular stomatitis (Serotypes Indiana and New Jerse VNT* Equine Herpes Virus Type 1, EHV 1 VNT	ey) S S	70
□ VNT*	SAT S 22 Salm. typhimurium (e.g. Taiwan) Culture F25g 30 Vesicular stomatitis (Serotypes Indiana and New Jersey) VNT* S 70 Equine Herpes Virus Type 1, EHV 1 S 22 VNT S 22	Salm. typhimurium (e.g. Taiwan) Culture Vesicular stomatitis (Serotypes Indiana and New Jerse VNT* Equine Herpes Virus Type 1, EHV 1 VNT	ey) S S	70 22
□ VNT*	SAT S 22 Salm. typhimurium (e.g. Taiwan) Culture Culture F25g 30 Vesicular stomatitis (Serotypes Indiana and New Jersey) 30 VNT* S 70 Equine Herpes Virus Type 1, EHV 1 S 22 PCR SD 4°C 24h 25	Salm. typhimurium (e.g. Taiwan) Culture Vesicular stomatitis (Serotypes Indiana and New Jerse VNT* Equine Herpes Virus Type 1, EHV 1 VNT PCR SD 1	ey) S S	70 22
□ VNT*	SAT S 22 Salm. typhimurium (e.g. Taiwan) Culture Culture F25g 30 Vesicular stomatitis (Serotypes Indiana and New Jersey) 30 VNT* S 70 Equine Herpes Virus Type 1, EHV 1 S 22 PCR SD 4°C 24h 25	Salm. typhimurium (e.g. Taiwan) Culture Vesicular stomatitis (Serotypes Indiana and New Jerse VNT* Equine Herpes Virus Type 1, EHV 1 VNT PCR SD 1	ey) S S	70 22
□ VNT*	□ SAT S 22 Salm. typhimurium (e.g. Taiwan) □ Culture F25g 30 Vesicular stomatitis (Serotypes Indiana and New Jersey) □ VNT* S 70 Equine Herpes Virus Type 1, EHV 1 □ S 22 □ PCR SD 4°C 24h 25 Equine Herpes Virus Type 4, EHV 4 SD 4°C 24h 25	Salm. typhimurium (e.g. Taiwan) Culture Vesicular stomatitis (Serotypes Indiana and New Jerse) VNT* Equine Herpes Virus Type 1, EHV 1 VNT PCR SD Equine Herpes Virus Type 4, EHV 4	≥y) S S 4°C 24h	70 22 25
□ VNT*	□ SAT S 22 Salm. typhimurium (e.g. Taiwan) □ Culture □ Culture F25g 30 Vesicular stomatitis (Serotypes Indiana and New Jersey) □ VNT* □ VNT* S 70 Equine Herpes Virus Type 1, EHV 1 □ □ VNT S 22 □ PCR SD 4°C 24h 25 Equine Herpes Virus Type 4, EHV 4 □ □ VNT S 22	Salm. typhimurium (e.g. Taiwan) Culture Vesicular stomatitis (Serotypes Indiana and New Jerse) VNT* Equine Herpes Virus Type 1, EHV 1 VNT PCR SD Equine Herpes Virus Type 4, EHV 4	≥y) S S 4°C 24h S	70 22 25 22

Equine Influenza (A equi I, II europ. and americ. Type) S | □ HL. 27 SD | 4°C | 24h | 25 Surra (T. evansi) □ Microscopic detection 36 African Horse Sickness C-ELISA S I 35 West Nile Virus, WNV ELISA IgM 35 ELISA IgG _____ S | 35 Ehrlichiosis (A. phagocytophilum) S | 22 Contagious Equine Metritis, CEM € net / swab

Culture 14 days (e.g. Canada) SC 4°C 24h	28
Culture 7 days (e.g. USA)	25
PCR (screening)	20

□ Stallion

□ Mare

Г	Cul	ture	14 days	Г	Cul	ture	14 days
	Г	Cul	ture 7 days		Г	Cul	ture 7 days
		Γ	PCR			Γ	PCR
			Fossa glandis				Fossa clitoridis
			Sinus urethralis				Sinus clitoridis med.
			Surface of prepuce				Sinus clitoridis lat.
			Pre-ejaculatory fluid				Cervix
			Semen				Endometrium

Additional tests, comments

Prepurchase Examination

Haematology and Clinical Chemistry

Complete blood count and clinical blood chemistry ______ EB 24h | + Sm(2x) | + S + SF (glucose, lactate) |

Drug Screening*

□ NSAIDs, plasma cortisol level, synth. corticosteroids, tra	ranquilizers, local anaesthetics	6 10ml	160
--	----------------------------------	--------	-----

List of abbreviations

- Ab | Antibody Ag | Antigen
- BC a | Blood culture for aerobes BC ana | Blood culture for anaerobes
 - BE | Bacteriological Examination CB | Citrated blood

 - CF | Cerebrospinal Fluid CFT | Complement Fixation Test (Ab)
- CP 1:10 | Plasma from CB 1:10 Cy | Cytobrush EB | EDTA blood

 - **ELISA** | Enzyme Linked Immunosorbent Assay **F25g** | Faeces, 25g min.
 - HI | Haemagglutination Inhibition (Ab)
 - IFAT | Immunofluorescent Antibody Test (Ab)
- MAT | Microagglutination Test (Ab) N | Native Material
- PCR | Polymerase Chain Reaction (Ag)
- Rt | Room temperature S | Serum
- **SA** | Swab, transport medium for anaerobes
- **SAT** | Slow Agglutination Test (Ab)
- SC | Swab, Amies transport medium with charcoal Scr | Skin Scraping
- **SD** | Swab, without transport medium "dry" **Se** | Semen (native)

- Sm Smear U Urine
- VI | Virus Isolation (Ag)
- VNT | Virus Neutralisation Test (Ab)
- 24h Overnight shipment
- 4°C | Refrigerated shipment
- * Frozen shipment
 * | performed by an accreditated partner laboratory

Material | € net

24